

TUDOR **FASTRIDER**



TUDOR







TUDOR

TUDOR FASTRIDER

CONTENTS

| | |
|---------------------------|----|
| GENERAL INFORMATION | 5 |
| WATERPROOFNESS | 7 |
| TUDOR FASTRIDER | 8 |
| MAINTENANCE & GUARANTEE | 20 |
| WORLDWIDE SERVICE NETWORK | 22 |





All TUDOR watches are entirely manufactured in Switzerland.

Equipped with a self-winding mechanical movement, they are fitted with a scratch-resistant sapphire crystal and a screw-down winding crown for perfect waterproofness.

To ensure that your watch remains in perfect working order for many years, please read this document carefully.




WATERPROOFNESS

| | | | | | |
|-----------------|---|--------|--------|--------|----------|
| TUDOR FASTRIDER | 50 m | 100 m | 150 m | 200 m | 500 m |
| CHRONO |  | | | | |
| BLACK SHIELD |  | | | | |
| | 165 ft | 330 ft | 500 ft | 660 ft | 1,640 ft |

TUDOR FASTRIDER

DISPLAY



Ø 42 mm, TUDOR calibre 7753, waterproof to 150 metres (500 feet).
12-hour chronograph, date (window-type display), small seconds hand,
fixed bezel with tachymeter function.

Key

1. Hour hand
2. Minute hand
3. Small seconds hand
4. Date window
5. Date corrector
6. Winding crown

SCREWED-DOWN POSITION [position A]

Your TUDOR watch is equipped with a screw-down crown. Once this is fully screwed down against the case, your watch is guaranteed waterproof.

MANUAL WINDING [position B]

A watch equipped with a self-winding mechanical movement is wound automatically by wrist movements alone. To ensure optimum winding, wear your watch daily.

Before you first use the watch or if it has stopped, you will need to wind it manually by unscrewing the crown and turning it clockwise; the other direction is inactive. After performing the operation, gently press in the crown while turning it gradually clockwise, and screw it down carefully against the case in order to preserve your watch's waterproofness.

Once wound, and without being worn, the TUDOR Fastrider has a power reserve of approximately 46 hours.

TIME-SETTING [position C]


In order to adjust the time, unscrew the crown and pull it out to the last notch. Then turn it in either direction until the hands indicate the correct time. The small seconds hand is stopped during this operation. To synchronize the small seconds hand and minute hand, the fine adjustment must be performed in an anticlockwise direction.

If the watch has stopped, take care not to confuse midday and midnight during this operation. Move the hands forward to 12 o'clock; if the date changes, then it is midnight.

After each operation, remember to push the crown back in and screw it back down carefully against the case, in order to preserve your watch's waterproofness.

TUDOR FASTRIDER

CHRONOGRAPH DISPLAY



Key

1. Centre seconds hand (chronograph seconds hand)
2. 30-minute counter (chronograph minute hand)
3. 12-hour counter (chronograph hour hand)
4. Chronograph start/stop pusher
5. Chronograph reset pusher
6. Fixed bezel with tachymeter scale

CHRONOGRAPH FUNCTION

The chronograph function enables you to measure times to fractions of a second, thanks to the centre seconds hand. To measure longer intervals, this chronograph has two additional 30-minute and 12-hour counters.

Pressing the start/stop pusher a first time will start the chronograph. Pressing it again will stop the chronograph, and pressing a third time will start it again. In this way you can measure several times in succession.

To reset all the chronograph counters, press the reset pusher; the chronograph will be ready for use again. Resetting is only possible when the chronograph has stopped.

TACHYMETER FUNCTION

The bezel on your watch has a tachymeter function use to measure a speed or a flow rate using the chronograph function.

Select the desired unit of measurement (metre, kilometre, mile, litre, etc.), activate the chronograph and stop it when the desired unit is reached. The centre seconds hand indicates the number of units per hour on the tachymeter scale.

EXAMPLE: MEASURING SPEED

A car covers a distance of 1 km in 31 seconds. When the chronograph is stopped (on 31 seconds), the centre seconds hand indicates 116 on the tachymeter scale. The unit being the kilometre, the car's speed is 116 km/h.

TUDOR FASTRIDER


In order to ensure the precision of the tachymeter, the unit of measurement must be exactly reached. In addition, the time of measurement should not exceed 1 minute and should not be less than 9 seconds.

DATE-SETTING

In order to adjust the date, we advise you to use only the TUDOR tool as depicted in the diagram on the following page. It is supplied with your watch, and serves to handle the date corrector situated at 9 o'clock.

You can change the date simply by pressing the corrector using the TUDOR tool. The date cannot be changed by means of the crown.

To avoid damaging the movement, it is vital not to adjust the date between 20:30 and 23:00.



Date corrector

MAINTENANCE

Thanks to TUDOR's expertise, your watch will require very little day-to-day care.

However, you can maintain the shine on your watch and its rubber strap, by using a microfibre cloth. You can also wash it from time to time, using a soft brush and soapy water.

Before performing these operations, check that the crown is properly screwed down against the case, in order to guarantee your watch's waterproofness.

To help conserve your leather strap, we recommend protecting it from water and moisture.

Your TUDOR watch is covered by a 2-year international guarantee.

The guarantee card that accompanies your watch must be properly completed, signed and dated by the Official TUDOR Retailer at the time of purchase.

The guarantee does not cover normal wear of components, or damage caused by accident or mishandling, or the loss or theft of your watch.

Any modification of your watch by the addition of non-original parts, or the substitution of parts with non-original parts, will void your guarantee.

WORLDWIDE SERVICE NETWORK

TUDOR watches are sold only by Official TUDOR Retailers.

Each TUDOR watch is a complex precision mechanism and, as such, requires periodic servicing and maintenance to guarantee optimum performance.

Expert TUDOR servicing can be carried out via any of the Official Retailers and Service Centres in the extensive ROLEX or TUDOR service network. This worldwide network spans five continents and is staffed by highly skilled watchmakers trained to respond to all your service needs.

Please contact your ROLEX Affiliate for an up-to-date list of TUDOR Official Retailers and Service Centres for your region.

TUDORWATCH.COM







TUDOR

