

TUDOR
GENEVE

PELAGOS
CHRONOMETER
OFFICIALLY CERTIFIED
ROTOR SELF-WINDING
50m 1640ft

SWISS

MADE

PELAGOS



TUDOR







TUDOR

PELAGOS

CONTENTS


GENERAL INFORMATION	5
MOVEMENT	6
WATERPROOFNESS	9
PELAGOS	10
MAINTENANCE & GUARANTEE	24
WORLDWIDE SERVICE NETWORK	26



All TUDOR watches are entirely manufactured in Switzerland.

Equipped with a self-winding mechanical movement, they are fitted with a scratch-resistant sapphire crystal and a screw-down winding crown for perfect waterproofness.

To ensure that your watch remains in perfect working order for many years, please read this document carefully.



Your TUDOR watch features a self-winding mechanical movement manufactured exclusively by TUDOR.

Its power reserve of approximately 70 hours means that its wearer can, for example, take off the watch on Friday evening and put it on again on Monday morning without having to wind it.


At the cutting-edge of watchmaking technology, its silicon balance spring ensures superb precision, as certified by the Swiss Official Chronometer Testing Institute (COSC).



WATERPROOFNESS

TUDOR	50 m	100 m	150 m	200 m	500 m
PELAGOS					
	165 ft	330 ft	500 ft	660 ft	1,640 ft

DISPLAY



Titanium case, Ø 42 mm, calibre MT5612, *Manufacture* TUDOR, waterproof to 500 metres.

Date (window-type display), unidirectional rotatable bezel in titanium, disc in ceramic, crown guard.

Key

1. Hour hand
2. Minute hand
3. Seconds hand
4. Date
5. Winding crown
6. Unidirectional rotatable bezel
7. Helium valve

SCREWED-DOWN POSITION (position A)

Your TUDOR watch is equipped with a screw-down crown. Once this is fully screwed down against the case, your watch is guaranteed waterproof.

MANUAL WINDING (position B)

A watch equipped with a self-winding mechanical movement is wound automatically by wrist movements alone. To ensure optimum winding, wear your watch daily.

Before you first use the watch or if it has stopped, you will need to wind it manually by unscrewing the crown and then turning it clockwise; the other direction is inactive. After performing the operation, gently press in the crown while turning it gradually clockwise, and screw it down carefully against the case in order to preserve your watch's waterproofness.

Once wound, and without being worn, the Pelagos has a power reserve of approximately 70 hours.

RAPID DATE SETTING (position C)

In order to adjust the date, unscrew the crown and pull it out to the second notch. Then turn it anticlockwise until the desired date appears in the window. The date is corrected when the hands pass midnight. During this operation, your watch will keep running.

TIME SETTING (position D)

In order to adjust the time, unscrew the crown and pull it out to the last notch. Then turn it in either direction until the hands indicate the correct time. The small seconds hand is stopped during this operation, allowing the time to be set accurately.

If the watch has stopped, take care not to confuse midday and midnight during this operation. Move the hands forward to 12 o'clock; if the date changes, then it is midnight.

After each operation, remember to push the crown back in and screw it back down carefully against the case, in order to preserve your watch's waterproofness.

BEZEL FUNCTION


The unidirectional rotatable bezel in titanium, fitted with a disc in ceramic, allows precise measurement of dive times. For safety, the bezel rotates in one direction only.

The bezel has 60 positions. It is deliberately harder to turn when the zero marker (triangle) is in the 12 o'clock position to avoid inadvertent rotation.

For enhanced legibility during dives, the graduation on the bezel as well as the hands and hour markers on the dial are filled with luminescent material.

HELIUM VALVE (decompression valve)

During dives in a hyperbaric environment, superfluid gases penetrate the watch. This decompression valve allows them to escape during the rise to the surface.




ADJUSTING THE TITANIUM BRACELET

The Pelagos model is equipped with a titanium bracelet, featuring a clasp providing adjustments for comfort and for diving.


Comfort adjustment

Initial position




There are three comfort adjustment positions. This precise adjustment allows a maximum extension of approximately 4 mm in 2 mm increments.


1. Open the safety catch and unfold the clasp




2. Turn the bracelet perpendicularly to the cover, then pull on the bracelet to unlock it and allow it to move




3. Continue to pull on the bracelet, then slide it inside the cover



4. Release the bracelet once the desired position is attained




5. Close the clasp



Diving adjustment

In diving, clothing is compressed by water pressure. The diving adjustment compensates for these variations in thickness. To access this mode, proceed in the same way as for the comfort adjustment.




To ensure automatic adjustment of the bracelet on your wrist when diving, adjust the bracelet before beginning your dive by placing the position indicator at its farthest point.

Diving extension

If the diving adjustment does not provide sufficient length, use the diving extension. It allows the watch to be worn over a thicker diving suit.

Opening

1. Press at the spot marked "PUSH"




2. Unfold the diving extension to obtain an additional 25 mm of length




Closing

1. Fold down the diving extension, then insert the links in the blade according to the indication "INSERT"



2. Close the diving extension





ADJUSTING THE RUBBER STRAP

The Pelagos model comes with an extra rubber strap, whose length can be adjusted by means of the buckle.

Only Official TUDOR Retailers are authorized to change the watch strap.


An additional rubber extension piece allows the watch to be worn over a diving suit. Its accordion-like structure compensates for variations in thickness of the diving suit due to water pressure.

To ensure automatic adjustment of the bracelet on your wrist when diving, adjust the bracelet before beginning your dive to put tension on the accordion-like structure.



Additional rubber extension piece with buckle

Range of adjustment of the additional extension piece



MAINTENANCE

Thanks to TUDOR's expertise, your watch will require very little day-to-day care.

However, you can maintain the shine on your watch and its metal bracelet, or its rubber strap, by using a microfibre cloth. You can also wash it from time to time, using a soft brush and soapy water.

Before performing these operations, check that the crown is properly screwed down against the case, in order to guarantee your watch's waterproofness.

Your TUDOR watch is covered by a 2-year international guarantee.

The guarantee card that accompanies your watch must be properly completed, signed and dated by the Official TUDOR Retailer at the time of purchase.

The guarantee does not cover normal wear of components, or damage caused by accident or mishandling, or the loss or theft of your watch.

Any modification of your watch by the addition of non-original parts, or the substitution of parts with non-original parts, will void your guarantee.

WORLDWIDE SERVICE NETWORK

TUDOR watches are sold only by Official TUDOR Retailers.

Each TUDOR watch is a complex precision mechanism and, as such, requires periodic servicing and maintenance to guarantee optimum performance.

Expert TUDOR servicing can be carried out via any of the Official Retailers and Service Centres in the extensive ROLEX or TUDOR service network. This worldwide network spans five continents and is staffed by highly skilled watchmakers trained to respond to all your service needs.

Please contact your ROLEX Affiliate for an up-to-date list of TUDOR Official Retailers and Service Centres for your region.

TUDORWATCH.COM







TUDOR

